



Product Data Sheet

Product Type RJ45 Adapter

Product Model SE8FF-X-C6A

Customer Name _____

Manufacturer	Prepared	Checked	Approved

Customer	Received	Checked	Confirmed



Product Data Sheet

Product Type	RJ45 Adapter	
Product Model	SE8FF-X-C6A	
Product Features		
➤ RJ45 feedthrough coupler for linking cables, CAT6a, PoE++ ➤ Accommodates SE8MC-1-NEW ➤ Shorter length and more exquisite compact design ➤ Complies with CAT6a according to TIA / EIA 568B and ISO / IEC 11801 standard ➤ Very lightweight, fast and stable signal transmission		



Product Data Sheet

Product Parameters

Item	Specification
Connection type	Adapter

Electrical Parameters

Item	Specification
Contact resistance	< 10 mΩ
Rated current	2 A
Rated voltage	60 V
Insulation resistance	≥ 0.5 GΩ
Dielectric strength	1 KV DC
Frequency range	1~500 MHz
Transmission performance	CAT6a
Ethernet power supply	PoE++ accdg. IEEE 802.3bt



Product Data Sheet

Mechanical Parameters

Item	Specification
Insertion force	≤ 20 N
Service life	> 1000 mating cycles
Locking device	Latch lock

Material and Environmental Parameters

Item	Specification
Contacts	Copper alloy
Insert	PBT
Contact surface	Au
Panel	Zinc alloy
Temperature range	-30°C ~ +80°C


Standards and Certifications

Standards	TIA/EIA 586B, IEC11801
-----------	------------------------



Product Data Sheet

Product Drawing



Unit: mm

Packaging Method

PE bag packing, 1 pc per bag

50 pcs per inner carton, 5 inner cartons per master carton (250 pcs per master carton)

Accessory

- | | |
|--|--|
| ☒ No accessories | ☐ Back fastener plate |
| ☐ Screws | ☐ Waterproof gasket |

